

From: Richard Fetzer/R3/USEPA/US
To: "Dave Bofinger" <DBofinger@Kemron.com>
Cc: "padams" <padams@kemron.com>, "Dennis Carney" <carney.dennis@epa.gov>, "Jerry Heston" <heston.gerald@epa.gov>, "Joanna McDonald" <mcdonald.joanna@epa.gov>

Date: Thursday, August 02, 2012 12:38PM
Subject: Re: Ex. 6 - Personal Privacy rd tank

You are authorized. Make it happen.

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA. 18360
(570) 402 7108

From: "David Bofinger" [dbofinger@kemron.com]
Sent: 08/02/2012 12:14 PM AST
To: Richard Fetzer
Cc: <padams@kemron.com>
Subject: 44 Carter rd tank

Rich,

Do we have the authorization to purchase the 550 gallon poly tank for Ex. 6 - Personal Privacy RD? Kemron would like to purchase it today if possible and do the necessary plumbing modifications to it on Friday to facilitate a quick swap out on Monday.

Thanks

Dave Bofinger
Response Manager
Kemron Environmental Services Inc
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318

Nonresponsive

8/8/2012

DIM0266810

DIM0266849

e mail- dbofinger@Kemron.com

Cell phone- 404 725 3257

Phone-404 636 0928 Fax 404 636 7162

Visit us at www.kemron.com

Know Safety, No Accidents



Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to postmaster@kemron.com. Thank you.

Nonresponsive

8/8/2012

DIM0266810

DIM0266850